


350 OUTRAGE

W W W . B O S T O N W H A L E R . C O M

2021 SPECIFICATIONS

L.O.A.	35' 9" (10.9 m)
BEAM	10' 10" (3.30 m)
DRAFT	24.5" (0.62 m)
WEIGHT (dry, no engine)	11,000 lbs (4,990 kg)
WEIGHT (with engines, fuel and water)	15,936 lbs (7,228 kg)
MAXIMUM WEIGHT CAPACITY	5,071 lbs (2,300 kg)
SWAMPED CAPACITY	5,000 lbs (2,268 kg)
PERSONS CAPACITY	14
MAXIMUM HORSEPOWER	1,200 HP (895 kW)
MINIMUM HORSEPOWER	750 HP (559 kW)
MAXIMUM ENGINE WEIGHT	2,100 lbs (953 kg)
TRANSOM HEIGHT	30" (0.76 m)
TRANSOM ANGLE	15 °
DEADRISE AT TRANSOM	230
FUEL CAPACITY	400 gallons (1,514.2 L)
WASTE CAPACITY	7 gallons (26 L)
WATER CAPACITY	45 gallons (170.34 L)
LIVEWELL VOLUME	40 gallons (151.4 L)
BRIDGE CLEARANCE (with top)	8' 10" (2.70 m)
BRIDGE CLEARANCE (with top & radar)	9' 11" (3.02 m)
BRIDGE CLEARANCE (with upper station)	15' (4.57 m)
EUROPEAN CERTIFICATION	В





STANDARD EQUIPMENT

- All hardware 316-L stainless steel
- All rails welded 316-L stainless steel

DECK/COCKPIT

- 10" stainless steel cleats stern cockpit with gunnel board hawse pipe (2), anchor locker (1)
- 10" stainless steel pull-up cleats bow (2), mid-ship spring line (2), crosstie cleats at transom (2)
- 28" interior freeboard
- Acrylic transom door with stainless steel latch
- Bow eye
- Cockpit blue and white LED courtesy lighting
- Cockpit machinery space LED lighting
- Extended integral swim platform with recessed telescoping dive ladder and grab rail
- Full coaming bolsters
- Gunnel mounted rod holders bow (4), aft cockpit (5)
- Heavy duty rub rail
- Molded fiberglass port side dive/boarding door with removable stainless steel dive ladder
- Pressurized livewell (23 gallons) in aft port corner with clear lid and blue interior with red and white LED lights
- Self-bailing cockpit sole
- Stainless steel cockpit toe rails
- Stainless steel drink holders bow (2), hawse pipes (2), helm (3), leaning post (4), forward console lounge (2), bow seating area integrated into low bow rail (4)
- Stainless steel grab rails
- Stainless steel thru hull anchor roller davit
- Transom rod holders (5)
- Under gunnel rod holders (3)
- Under gunnel storage shelf with downrigger weight holders (2 per side)
- Welded stainless steel low profile interior bow rail
- Windlass with rode and stainless steel anchor (400')

CONSOLE

- 12V receptacle
- Cast stainless steel steering wheel with knob and tilt helm
- Center helm layout
- Compass
- Dash visor
- Drink holders (3)
- Electronics mounting surface with space for dual displays
- Instrumentation and electrical switch panel with illuminated text
- Lockable fiberglass side entry door with stainless steel pantograph hinge
- Locking glove box
- Mercury® DTS dual binnacle controls
- Mercury® SmartCraft Vessel View Display 7" color LCD display (network connections to Raymarine with Navigation Package)
- Molded console footrests and fold-down helm standing platform with maintenance free synthetic teak surface
- Remote ignition key switches with pushbutton start at helm
- Stereo Premium multi-source/multi-zone system with integration into Raymarine (if navigation package is installed at the factory), includes Fusion Apollo MS-RA770 stereo with 4.3" color touchscreen controls, AM/FM/WiFi/MP3/USB/AUX input, iPod/iPhone/Android compatible via integrated Bluetooth or WiFi, Sirius XM option-ready
- JL Audio waterproof speakers (6), amplifier (1), bow mounted remote control (1), MP3 inputs and 12-V receptacle in glove box and sun lounge armrest

SEATING

- Fold away stern bench seat
- Forward console lounge with fold-down armrests,





350 OUTRAGE

W W W . B O S T O N W H A L E R . C O M

- drink holders (2), backrests, removable cushion, MP3 input and 12-V receptacle
- Forward port and starboard seats with folding backrests and drink holders (6)
- Helm and companion bolster style seats (3) with fold-down armrests (2) (center seat is mechanically adjustable fore and aft)

STORAGE

- Bow anchor locker with drains
- Hanging locker / compartment in head
- Insulated in-floor fishboxes with pump-out aft (2), forward (1)
- Lifejacket storage in hardtop
- Lockable console front storage with LED lighting holds 6 rods, 2 5-gallon buckets (included), 2 storage bins (included), 1 36-qt cooler (included) and miscellaneous gear (optional dive tank racks available)
- Lockable electronics box in hardtop
- Lockable glove box
- Side coaming boxes with storage nets
- Storage in leaning post
- Storage under bow seating with LED lighting

HARDTOP/WINDSHIELD SYSTEM

- Custom painted integrated frame with aft support legs
- Ladder access to hardtop
- LED aft cockpit area flood lights (2)
- LED blue lighting (6)
- LED bow area flood light (1)
- LED courtesy chart light (red and white) (1)
- LED navigation lights in hardtop with acrylic access door
- Lifejacket storage
- Lockable electronics box
- Outrigger ready
- Rod holders (7)
- Tempered glass windshield with power actuated vent
- Windshield wiper with wash system

DELUXE LEANING POST/BAIT PREP CENTER

- 120V outlet
- Bait prep area with cutting board
- Dedicated area for slide-out carry-on cooler (65 qt cooler included)
- Drink holders (4)
- Freshwater sink (cold only without optional Convenience Package)
- Knife holder
- LED white lighting for work surface (2)
- Lure bags with dedicated storage (3)

- Pressurized livewell (40 gallons) with clear lid and blue interior with red and white LED lights
- Slide-out 5- gallon pail storage
- Stainless steel grab rail
- Storage lid with tool holders
- Tackle storage drawers and leader holders

SHOWER/HEAD

- 120-V outlet
- 500 GPH shower sump
- Hanging locker
- Interior courtesy lights (red and white) (2)
- Maintenance free synthetic teak flooring
- Opening porthole with screen (1)
- Shower with curtain and pull out faucet sprayer from vanity (cold only without optional Convenience Package)
- Storage cabinet
- VacuFlush™ toilet, holding tank with tank vent filter for overboard discharge and dockside pump-out
- Vanity with sink and mirror

MECHANICAL

- 300 V8 DTS Black Triple Mercury Verado engines with hydraulic power steering and Shadow Mode Technology
- 30-amp shore power inlet with battery charger, galvanic isolator and shore power cord
- 400-gallon aluminum fuel tank
- Automatic bilge pumps 1,100 GPH interior, 2,000 GPH bilge, 2,000 GPH with high water steady state alarm
- Battery trays (4) with remote switches and automatic charging/paralleling relays
- Bonding system for underwater through hull fittings
- Bow thruster (4kW) with dedicated battery bank and charging system (not available with Joystick Piloting)
- Cast bronze thru hulls and seacocks (below waterline)
- Cast stainless steel thru hulls (above waterline)
- Electric trim tabs with indicator (dual ram)
- Electric trumpet horn
- Engine fuel / water separators
- Freshwater dive door shower (cold only without optional Convenience Package)
- Freshwater system with 45-gallon tank
- Freshwater transom shower (cold only without optional Convenience Package)
- Freshwater stainless steel washdown faucet in anchor locker
- Pressurized livewell (23-gallon) with clear top window and blue interior in aft port corner

- Pressurized livewell (40-gallon) with clear top window and blue interior in leaning post
- Raw-water stainless steel washdown faucet mid-ship
- Stainless steel propellers
- Transducer mount area
- Windlass with rode and anchor
- Windshield wiper with wash system

NAUTIC-ON REMOTE CONNECTIVITY

- 24/7 access to your boat's information using the NAUTIC-ON app
- Monitor house and engine battery state and bilge pump activity
- Review live engine data and diagnostics
- Track location with Smart Breadcrumbing and GeoFence
- View weather conditions at the boat
- 3 Months Free Subscription

NOTABLE OPTIONS & ACCESSORIES

- ☐ 12-Vreceptacles at transom for electric reels / downriggers
 (2)
- ☐ Active Engine Trim (Mercury option that automatically adjusts drive trim based on speed)
- ☐ Active Engine Trim for 2nd station (Mercury option that automatically adjusts drive trim based on speed) (must select an upper station option)
- Air conditioning reverse cycle, helm, console and windshield defogger (6,000 BTU) (must select generator for use while away from shore power)
- ☐ Anchor windlass chain (300')
- ☐ Batteries GR31 AGM (factory installed)
- ☐ Bow tow eye
- ☐ Commissioning kit includes: air horn, batteries group 31 AGM (4) group 27 AGM (2), boat hook, dock lines (8), fenders (4), fire extinguishers (2), first aid kit, flare kit, life vests (type 1 offshore (10) with custom storage bags), spare fuel filters (3), throw cushion, tool kit (basic), water/holding tank supplies
- ☐ Convenience package (must select generator for use while away from shore power) includes: coffeemaker, hot water mixers at console vanity faucet, leaning post faucet, transom and mid-ship hand showers, microwave, water heater
- ☐ Dive tank holders (4) in console front storage
- ☐ Electric grill (must select generator or inverter for use while away from shore power) (included in Summer Kitchen Leaning Post option) (not compatible with both inverter and





350 OUTRAGE

W W W . B O S T O N W H A L E R . C O M

joystick piloting)
☐ Electric grill delete (requires Summer Kitchen Leaning Post
option)
☐ Engine flush system
☐ Freezer plates in fishboxes (port and starboard fishboxes)
(requires Generator option)
☐ Freezer plates, starboard fishbox (requires Generator
option)
☐ Generator with automatic fire suppression system and
manual override (low CO gas (6.0 kW) 220-V, 50 hz (Eu-
rope))(low CO gas (7.5 kW) 120-V, 60 hz)
Gyroscopic Stabilizer (SeaKeeper) with Generator (3,000
N-M-S gyro) (single battery and dual chargers located in ga-
rage) (deletes 65 Qt. cooler in leaning post) (not compatible
with Starboard pull-out refrigerator) (must select summer
kitchen) (fuel capacity changes to 375 gallons (1419.5L))
Gyroscopic Stabilizer (SeaKeeper) without Generator
(3,000 N-M-S gyro) (four batteries and single charger
located in garage) (deletes 65 Qt. cooler in leaning post)
(not compatible with Starboard pull-out refrigerator) (must
select summer kitchen) (fuel capacity changes to 375
gallons (1419.5L))
☐ Lighting - underwater LED – transom mounted (4)
Radial outriggers (hardtop mounted) (black)
Rails – at bow (not compatible with full canvas mooring
cover option)
• •
☐ Rails – split bow rail ☐ Rails – white rub rail with stainless steel inserts
Refrigerator – portside pull-out (12-V/120-V 1.75 cubic feet)
(replaces 5 gallon pail storage) (requires Summer Kitchen
Leaning Post option)
Refrigerator – starboard pull-out (12-V/120-V, 1.75 cubic
feet) and starboard storage cabinet (replaces 65 qt. cooler
in leaning post)
☐ Self-leveling trim tab system
□ Spotlight
Summer kitchen leaning post (must select generator for use
while away from shore power) (replaces bait prep center)

- includes: 120-V outlet, cutting board, dedicated area for

holders (4), electric grill (must select inverter or generator

for use away from shore power), freshwater sink (cold only

without optional Convenience Package), LED white lighting

for work surface (2), prep center lid with storage shelf,

slide-out 5-gallon pail storage, solid surface countertop,

☐ Sunshade at cockpit (electrically retracts and deploys)

stainless steel grab rail

□ Sunshade at how

slide-out, carry-on cooler (65 at cooler included), drink

thetic teak overlay and gas assist base) with filler cushion and canvas cover

Trailer - Aluminum

Water delivery at manufacturing plant (includes all items from commissioning kit, plus 400 gallons of fuel)

Water delivery with upper station (includes all items from commissioning kit, plus 400 gallons of fuel)

Tacht tender package (must be selected if vessel will be

☐ Table - bow table / sun lounge (fiberglass table with syn-

towed as a tender) (must select bow tow eye) - includes: ball valves on box thru hulls, clam shells over critical hull side thru hulls, engine covers (3), high water activated strobe light and horn

SEATING

☐ Table - aft cockpit

- ☐ Seating cockpit fold-out bench seat (starboard) (replaces under gunnel rod holder)
- ☐ Seating fold-down trolling seats (2)

TOPS/TOWERS

- ☐ Hardtop gelcoat (hardtop underside color matches hull color) (must select hardtop) (options include abaco blue or platinum)
- ☐ Upper station includes: control box and upholstery canvas cover (black), ladder ac-cess to the hardtop, LED blue lighting (4), painted upper station frame with fold-down canopy, tilt helm with stainless steel steering wheel, upper station control box with compass, drink holders (3), DTS throttle
- ☐ Upper station with joystick piloting includes: all upper station option components, electronic steering, joystick, skyhook/autopilot keypad

ENGINES

- □ 300 V8 DTS White Triple Mercury Verado engines with hydraulic power steering and Shadow Mode Technology
- ☐ 350 L6 DTS Black Triple Mercury Verado engines with hydraulic power steering and Shadow Mode Technology (91 octane fuel recommended)
- □ 350 L6 DTS White Triple Mercury Verado engines with hydraulic power steering and Shadow Mode Technology (91 octane fuel recommended)
- 300 V8 DTS Black Triple Mercury Verado engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)

- 300 V8 DTS White Triple Mercury Verado engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
- □ 350 L6 DTS Black Triple Mercury Verado engines with Joystick Piloting; outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)
- □ 350 L6 DTS White Triple Mercury Verado engines with Joystick Piloting; outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)
- 400 L6 DTS Black Triple Mercury Verado engines with hydraulic power steering and shadow mode technology (91 octane fuel recommended)
- 400 L6 DTS White Triple Mercury Verado engines with hydraulic power steering and shadow mode technology (91 octane fuel recommended)
- 400 L6 DTS Black Triple Mercury Verado engines with Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting, also deletes standard bow thruster) (91 octane fuel recommended)
- 400 L6 DTS White Triple Mercury Verado engines with Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting, also deletes standard bow thruster) (91 octane fuel recommended)

ELECTRONICS

- ☐ Premium stereo in addition to standard stereo, JL Audio waterproof speakers (2), JL Audio waterproof subwoofer (1) and amplifier 3CH (1)
- Raymarine Automatic Identification System Transceiver
 (AIS Ray700 Transceiver) (must select a navigation package)
- ☐ Raymarine Augmented Reality (must select AIS option) (includes CAM220 IP video camera, and AR200 IP camera stabilization module)
- ☐ Raymarine Autopilot Evolution with 3.5" color TFT display (must select navigation package) (not compatible with





350 OUTRAGE

WWW BOSTONWHALER COM

	Joystick piloting)	
	Raymarine 9" Axiom Pro S Electronics for Upper Station	(
	(Raymarine Axiom Pro S 9" with single channel CHIRP	
	sonar) (Raymarine VHF wireless handset with wire-less/	
	Bluetooth speaker)	_
	Raymarine 9" Axiom Electronics for Upper Station (Ray-	
	marine Axiom 9" screen) (GPS/chart plotter/fishfinder)	
	(Raymarine VHF wireless handset with wire-less/Bluetooth	
	speaker)	
	Raymarine 16" Axiom Pro RVX Electronics / Navigation	
	Package (Raymarine Axiom Pro-RVX 15.6" MFD) (1000W	C
	thru-hull transducer B175 med) (Ray63 VHF with wireless	_
	handset) (Navionics Chart Card: North America/Canada)	
	Raymarine 16" Axiom Pro S Additional Display Electronics	
	Package (Raymarine Axiom Pro S 15.6" with single channel	
	CHIRP sonar) (CPT100 Transom Mount Transducer)	
	Raymarine 16" Axiom Pro XL Electronics / Navigation Pack-	
	age (Raymarine Axiom XL 16" screen) (GPS/chart plotter/	
	fishfinder) (Raymarine Sounder RV-100) (1000W thru-hull	
	transducer B175 med) (Ray63 VHF with wireless handset)	
	(Navionics Chart Card: North America/Canada)	
	Raymarine 16" Axiom Pro XL Additional Display Electron-	
	ics Package (Raymarine Axiom XL 16" screen) (GPS/chart	_
	plotter/fishfinder) (dash surface – custom black acrylic	C
	inte-grated with switch panels) (must select a navigation	(
_	package)	
Ш	Raymarine Radar – Open Array (4kW magnum digital radar	
	with 48" open array an-tenna) (must select a navigation	
	package)	[
Ш	Raymarine Radar with Satellite Weather – Open Array	
	(4kW magnum digital radar with 48" open array antenna)	
	with Raymarine Sirius weather receiver (requires monthly	
	subscription) (must select a navigation package) Raymarine Satellite Weather (requires monthly subscrip-	
	tion) (must select navigation package)	
	Raymarine M-232 Thermal Night Vision with pan, tilt and	
	zoom (9Hz) (must select a navigation package)	
	Raymarine M-324S Thermal Night Vision with pan, tilt and	
	zoom (must select a naviga-tion package)	
	RealVision 3D Sonar Direct Connect (CHIRP Downvision,	
٦	Sidevision) (must select Axiom RVX Navigation Package)	
	(RV-100 3D Transom Mount Transducer)	
	Theft Deterrent System (anti-theft security key) (Mercury	
_	TDS Premium with connected vessel) (Telematics tracking	
	system with GeoFence Immobilization)	

☐ Satellite radio – Sirius XM[™] satellite receiver with antenna

installed (does not include service)

☐ Vessel View Mobile

NVAS
Canvas cover package – includes: black sunbrella, cockpit
seat back cover, console cover, forward cushion covers, helm
seat cover, storage garage cover
Full canvas mooring cover from hardtop to fore and aft deck
coverage (not compatible with bow rail option)
Hardtop enclosure curtains (full beam aft enclosure behind
helm seating, wing curtains and side enclosure) (white or
black)
LOR PAINTED HULLS
Abaco Blue
Fighting Lady Yellow
Horizon Blue
Ice Blue
Jadestone
Oyster Grey
Platinum
Sand Metallic
Steel Blue
Tectonic Silver
Wasabi
APHICS
nrome BW logo, stripe)
Black graphics
Blue graphics
Red graphics
Chrome graphics (silver stripe)
omonio grapinos (enver empo)
Silver graphics

